

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II / Regulation (EU) No. 2015/830.
- Netherlands

Date of issue/ Date of revision : 19.05.2020
Date of previous issue : 12.07.2019
Version : 9.0



SAFETY DATA SHEET

Urean 30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Urean 30
Product code : PA452L
Product type : Liquid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Industrial USE as chemical/process nutrient. Professional USE as chemical/process nutrient. Industrial distribution. Industrial USE to formulate chemical product mixtures. Professional formulation of fertiliser products. Professional USE as fertiliser at Farm - loading and spreading. Professional USE as fertiliser in Greenhouse. Professional USE as liquid fertiliser in open field. Professional USE as fertiliser - maintenance of equipment.

Uses advised against : Other non-specified industry
Reason : Due to lack of related experience or data, the supplier cannot approve this use.

1.3 Details of the supplier of the safety data sheet

Yara Vlaardingen B.V.
Address
Street : Zevenmanshaven Oost
Number : 67
Postal code : 3133 CA
City : Vlaardingen
Country : Netherlands
Telephone number : +31 10 445 2000
Fax no. : 31 10 445 2009
e-mail address of person : yaraquest@yara.com

responsible for this SDS

1.4 Emergency telephone number

National advisory body/Poison Center

Name : Nationaal Vergiftigings Informatie Centrum
Telephone number : +31 (0) 30 274 88 88 Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen. **(Only intended to inform professionals in acute poisonings.)**

Hours of operation : 24h

Supplier

Emergency telephone number : +44 1235239670
(with hours of operation) 24 h

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture.

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification : Eye Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements

Prevention : P280-a Wear eye protection.
P264-a Wash hands thoroughly after handling.

Response : P305 IF IN EYES:
P351 Rinse cautiously with water for several minutes.
P338 Remove contact lenses, if present and easy to do. Continue rinsing.
P337 If eye irritation persists:
P313-a Get medical attention.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII : Applicable, Table 65.

- Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.
Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification : DO NOT allow any pump handling the product to run dry or over-heat e.g. due to blockage or closed valve in the associated lines, resulting in pumping against a dead-end. Under such conditions if over-heating occurs this may cause vaporization and possible decomposition of the product. This can create pressure build-up in the pump and, if unchecked, lead to an explosion. Ensure that the pump is used correctly according to the manufacturers instructions at all times when pumping the product.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
ammonium nitrate	RRN: 01-2119490981-27 EC: 229-347-8 CAS : 6484-52-2	>= 35 - < 45	Ox. Sol. 3, H272 Eye Irrit. 2, H319	[1]
ammonia, anhydrous	RRN: 01-2119488876-14 EC: 231-635-3 CAS : 7664-41-7 Index: 007-001-00-5	>= 0,01 - < 0,1	Flam. Gas 2, H221 Press. Gas Comp. Gas, H280 Acute Tox. 3, H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	[1] [2]

Type

[1] Substance classified with a physical, health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in

the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : Rinse with plenty of running water. Check for and remove any contact lenses. If irritation persists, get medical attention.
- Inhalation** : Avoid inhalation of vapor, spray or mist. If inhaled, remove to fresh air.
- Skin contact** : Wash with soap and water. Get medical attention if irritation develops.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following: pain or irritation, watering, redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None identified.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or** : In a fire or if heated, a pressure increase will occur and the

mixture container may burst.

Hazardous combustion products : Decomposition products may include the following materials: nitrogen oxides, ammonia, Avoid breathing dusts, vapors or fumes from burning materials., In case of inhalation of decomposition products in a fire, symptoms may be delayed.

5.3 Advice for firefighters

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Dispose of via a licensed waste disposal contractor.
Contaminated absorbent material may pose the same hazard as the spilled product.

- 6.4 Reference to other sections** :
- See Section 1 for emergency contact information.
 - See Section 8 for information on appropriate personal protective equipment.
 - See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Not for human or animal consumption.

- Protective measures** :
- Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. DO NOT allow any pump handling the product to run dry or over-heat e.g. due to blockage or closed valve in the associated lines, resulting in pumping against a dead-end. Under such conditions if over-heating occurs this may cause vaporization and possible decomposition of the product. This can create pressure build-up in the pump and, if unchecked, lead to an explosion. Ensure that the pump is used correctly according to the manufacturers instructions at all times when pumping the product.
- Advice on general occupational hygiene** :
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Bund storage facilities to prevent soil and water pollution in the event of spillage. The tank/container should be placed within a bunker able to take the whole tank/container volume.

7.3 Specific end use(s)

- Recommendations** :
- Store in a segregated and approved area. Do not store above the following temperature: 60° C
- Industrial sector specific** :
- No specific risk management measure identified beyond those

solutions

operational conditions stated.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
ammonia, anhydrous	Ministry of Social Affairs and Employment, Legal limit values (2007-01-01) TWA 14 mg/m ³ STEL 36 mg/m ³

Recommended monitoring procedures

- : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
- Reference should be made to monitoring standards, such as the following:
- European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)
 - European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)
 - European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents)
- Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
ammonia, anhydrous	DNEL	Short term Dermal	6,8 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	47,6 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	47,6 mg/m ³	Workers	Systemic
	DNEL	Short term Inhalation	36 mg/m ³	Workers	Local
	DNEL	Long term Dermal	6,8 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	14 mg/m ³	Workers	Local
ammonium nitrate	DNEL	Long term Dermal	256 mg/kg bw/day	Workers	Systemic

	DNEL	Long term Inhalation	451 mg/m ³	Workers	Systemic
--	------	----------------------	-----------------------	---------	----------

PNECs

Product/ingredient name	Type	Compartment Detail	Value	Method Detail
ammonia, anhydrous	PNEC	Fresh water	0,001 mg/l	Assessment Factors
	PNEC	Marine	0,001 mg/l	Assessment Factors
	PNEC	Intermittent release	0,089 mg/l	Assessment Factors
ammonium nitrate	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Recommended: Tightly-fitting goggles, CEN: EN166,

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment (Pictograms) :



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid
Color : Colorless., /, Pale straw.,
Odor : odorless or slight ammoniacal
Odor threshold : Not determined.
pH : 6 - 8

Melting point/freezing point : -10 °C

Initial boiling point and boiling range : 121 °C

Flash point : Not determined

Evaporation rate : Not determined

Flammability (solid, gas) : Non-flammable.

Upper/lower flammability or explosive limits : **Lower:** Not determined
Upper: Not determined

Vapor pressure : 6,99825 hPa @ 20 °C

Vapor density : Not determined

Relative density : Not determined

Bulk density : Not determined

Density : 1,299 - 1,319 g/cm³

Partition coefficient: n-octanol/water : Not determined

Auto-ignition temperature : Not determined

Viscosity : **Dynamic:** Not determined.
Kinematic: Not determined.

Explosive properties : Non-explosive.

Oxidizing properties : None

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous : Urea reacts with calcium hypochlorite or sodium

reactions : hypochlorite to form the explosive nitrogen trichloride.

10.4 Conditions to avoid : Avoid contamination by any source including metals, dust and organic materials.

10.5 Incompatible materials : alkalis combustible materials, reducing materials, Urea reacts with calcium hypochlorite or sodium hypochlorite to form the explosive nitrogen trichloride., organic materials, Acids

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
ammonia, anhydrous					
	LC50 Inhalation	Rat	9,85 mg/l	1 h	IUCLID 5
	LC50 Inhalation	Rat	7,939 mg/l	1 h	IUCLID 5
ammonium nitrate					
	OECD 401 LD50 Oral	Rat	2.950 mg/kg	Not applicable.	CSR
	OECD 402 LD50 Dermal	Rat	> 5.000 mg/kg	Not applicable.	CSR

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References
ammonium nitrate					
	OECD 405 Eyes	Rabbit	Irritant		CSR

Conclusion/Summary

Skin : No known significant effects or critical hazards.
Eyes : Causes serious eye irritation.
Respiratory : No known significant effects or critical hazards.

Sensitization

Product/ingredient name	Method	Species	Result	References
ammonium nitrate				
	OECD 429 Skin	Mouse	Not sensitizing	

Conclusion/Summary

Skin : No known significant effects or critical hazards.
Respiratory : No known significant effects or critical hazards.

Mutagenicity

Product/ingredient name	Method	Test detail	Result	References
ammonium nitrate				
	OECD 473	Mammalian Toxicity - Genotoxicity - In vitro Mammalian Chromosome Aberration Test or Mammalian Bone Marrow Chromosomal Abberation Test or Mammalian Erythrocyte Micronucleus Test In vitro	Negative	CSR
	OECD 471	Bacteria In vitro	Negative	IUCLID

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Product/ingredient name	Method	Species	Result	Exposure	References
ammonia, anhydrous					
	OECD 453 Oral	Rat	Negative NOAEL 67 mg/kg bw/day		IUCLID 5

Conclusion/Summary : No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
ammonia, anhydrous					
	OECD 422 Oral	Rat	Fertility effects- Negative NOAEL 408 mg/kg bw/day	28 days	IUCLID 5
	OECD 414 Oral	Rabbit	Developmental- Negative NOAEL 100 mg/kg bw/day	28 days	IUCLID 5
	Inhalation	Pig	Developmental- Negative NOAEC 25 mg/m ³	6 weeks	IUCLID 5
ammonium nitrate					
	OECD 422 Oral	Rat	Fertility effects- Negative	28 days	CSR

			Developmental-Negative NOAEL > 1500 mg/kg bw/day		
--	--	--	---	--	--

Conclusion/Summary : No known significant effects or critical hazards.

Information on the likely routes of exposure: : Not available.

Potential acute health effects

Inhalation : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion : Irritating to mouth, throat and stomach.

Skin contact : No known significant effects or critical hazards.

Eye contact : Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Ingestion : No specific data.

Skin contact : No specific data.

Eye contact : Adverse symptoms may include the following: pain or irritation, watering, redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Long term exposure

Potential immediate effects : No known significant effects or critical hazards.

Potential delayed effects : No known significant effects or critical hazards.

Potential chronic health effects

Product/ingredient name	Method	Species	Result	Exposure	References
ammonium nitrate					
	OECD 422 Chronic NOAEL Oral	Rat	256 mg/kg	28 days	CSR
	OECD 412 Sub-acute NOEC Inhalation	Rat	> 185 mg/m ³	2 weeks 5 hours per day	CSR

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Effects on or via lactation	:	No known significant effects or critical hazards.
Other effects	:	No known significant effects or critical hazards.
Other information	:	Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
ammonia, anhydrous					
	Acute LC50 Fresh water	Fish	0,89 mg/l	96 h	IUCLID 5
	Acute LC50 Fresh water	Daphnia	101 mg/l	48 h	IUCLID 5
	Acute EC50 Fresh water	Algae	2.700 mg/l	18 d	IUCLID 5
	215 Fish, Juvenile Growth Test Chronic NOEC Fresh water	Channel catfish	< 0,048 mg/l	31 d	IUCLID 5
	Chronic NOEC Fresh water	Daphnia	0,79 mg/l	96 h	IUCLID 5
ammonium nitrate					
	Acute LC50 Fresh water	Fish	447 mg/l	48 h	CSR
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50 Salt water	Algae	1.700 mg/l	10 d	CSR

Conclusion/Summary : No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
ammonia, anhydrous	0,23	Not applicable.	

Conclusion/Summary : No known significant effects or critical hazards.

12.4 Mobility in soil

Soil/water partition coefficient (KOC) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes.

European waste catalogue (EWC)

Waste code	Waste designation
06 10 02*	wastes containing hazardous substances

Packaging

Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way.
Care should be taken when handling emptied containers that have not been cleaned or rinsed out.
Empty containers or liners may retain some product residues.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID

14.1 UN number : Not regulated.

14.2 UN proper shipping name : Not applicable.

14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	

Regulation: ADN	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
<u>Danger code</u>	: Not applicable.

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
<u>Marine pollutant</u>	: No.

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
<u>Marine pollutant</u>	: No.

14.6 Special precautions for user : Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Proper shipping name : Urea / Ammonium nitrate solution
Ship type : 3
Pollution category : Z

14.8 IMSBC : Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)**Annex XIV - List of substances subject to authorization****Annex XIV:** None of the components are listed.**Substances of very high concern:** None of the components are listed.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Applicable, Table 65.

Other EU regulations Europe inventory : Not determined.

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

Other regulations : This product is subject to Regulation (EU) 98/2013, all suspicious transactions, disappearances and thefts should be reported to the relevant authority.

National regulations

Biocidal products regulation : Not applicable.

Water Discharge Policy (ABM) : Slightly harmful to aquatic organisms., Abatement effort:, B

Notes : To our knowledge no other country or state specific regulations are applicable.

15.2 Chemical Safety Assessment : Complete.

SECTION 16: Other information

Abbreviations and acronyms :

- ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DNEL = Derived No Effect Level
- DMEL = Derived Minimal Effect Level
- EUH statement = CLP-specific Hazard statement
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- SGG = Segregation Group
- PBT = Persistent, Bioaccumulative and Toxic

vPvB = Very Persistent and Very Bioaccumulative
bw = Body weight

Key data sources :

- EU REACH ECHA/IUCLID5 CSR.
- National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical Substances.
- Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.
- Regulation (EC) No 1272/2008 Annex VI.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Eye Irrit. 2, H319	Calculation method

Full text of abbreviated H statements

H221	Flammable gas.
H272	May intensify fire; oxidizer.
H280	Contains gas under pressure; may explode if heated.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Full text of classifications [CLP/GHS]

Flam. Gas 2, H221	FLAMMABLE GASES - Category 2
Ox. Sol. 3, H272	OXIDIZING SOLIDS - Category 3
Press. Gas (Comp.), H280	GASES UNDER PRESSURE - Compressed gas
Skin Corr. 1B, H314	SKIN CORROSION/IRRITATION - Category 1B
Eye Dam. 1, H318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Acute Tox. 3, H331	ACUTE TOXICITY (inhalation) - Category 3
Aquatic Acute 1, H400	AQUATIC HAZARD (ACUTE) - Category 1
Aquatic Chronic 2, H411	AQUATIC HAZARD (LONG-TERM) - Category 2

Revision comments : The following sections contain new and updated information: 2, 3, 8, 11.

Date of printing : 01.06.2020
Date of issue/ Date of revision : 19.05.2020
Date of previous issue : 12.07.2019
Version : 9.0
Prepared by : Yara Chemical Compliance (YCC).

|| Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other

material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.



**Annex to the extended Safety Data Sheet (eSDS) -
Exposure Scenario/Safe Use Information:**

Identification of the substance or mixture

Product definition : Mixture

Product name : Urean 30

Exposure Scenario/Safe Use Information : Exposure Scenarios are not attached for corrosive or irritant hazards, relevant information on safe use is included in section 8.

